## **ELEVATION CERTIFICATE**

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

OMB 3067-007 EXPIRES: JUNE 30 1999

This form is to be used for: 1) Post-FIRM construction only when the base flood information is available for the building site; and 2) Pre-FIRM buildings rated using Post-FIRM rules. Instructions for completing this form can be found on the reverse side. Harvey N. Cornell IV BUILDING OWNER'S NAME POLICY NUMBER 4100 Plantation Dr STREET ADDRESS Apt.-A/Unit-U Suite-S/Bldg.-B ROUTE BOX NUMBER OTHER DESCRIPTION (Block and lot numbers., etc.) Benbrook TX76116 CITY ZIP CODE This form is to be completed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative should complete the information in Section I and may also complete the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information may also complete this form. **BUILDING ELEVATION INFORMATION** SECTION I 1. Using the Flood Insurance Manual or the NFIP Flood Insurance Application—Part 2 Worksheet, indicate the proper diagram number 2. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 674.7 feet NGVD. (or other datum-see #5) 3. FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level floor from the selected diagram is at an elevation of\_ \_feet NGVD (or other datum-see #5). 4. FIRM Zone AO. The floor used as the reference level from the selected diagram is Lifeet above highest natural grade next to the building (also enter in line 8). This value must be equal to or greater than the AO Zone flood depth number listed below. If no flood depth number is available, is the building's lowest floor (or reference level) elevated in accordance with the community's floodplain management ordinances? ☐ Yes ☐ No ☐ Unknown 5. Indicate the elevation datum system used in determining the above reference level elevations: NGVD Other (describe on back) 6. Indicate the elevation datum system used on the FIRM for base flood elevations: X NGVD Other (describe on back) (ATTENTION: If the elevation datum used in measuring the elevations is different than that used on the FIRM, then the elevations provided must be converted to the datum system used on the FIRM.) Is the reference level based on actual construction? XYes No\* A "No" answer is only valid if the building does not have the reference level floor in place. Fill in the elevation based on construction drawings and do not complete question #8. If "No" is checked, this certification will be valid only for buildings in the course of construction. After construction of the reference level floor is completed, a post-construction elevation certificate will be required for continued flood insurance coverage. 8. Provide the following measurements using the natural grade next to the building (round to the nearest foot). a. The reference level is: b. The garage floor (if applicable) is: 1 feet 2 above 2 below (check one) the highest grade. feet □ above □ below (check one) the highest grade. 1 feet A above below (check one) the lowest grade. **SECTION II** FLOOD INSURANCE RATE MAP INFORMATION Provide the following from the proper FIRM (see Instructions on back-Date of FIRM) and accompanying insurance application: COMMUNITY ESTIMATED BASE FLOOD ELEVATION ESTABLISHED FOR ZONE A OR ZONE V, IF AVAILABLE PANEL NO. SUFFIX DATE OF FIRM COMMUNITY NO. FIRM ZONE BASE FLOOD ELEV (In A0 Zone, use depth) LOMR 480586 0005 D 10/27/92 676.0 X Yes Elevation reference mark used appears on FIRM No (See reverse side for details) **SECTION III** CERTIFICATION This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative can sign the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. I certify that the information on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001 LICENSE NUMBER (or Affix Seal) Whitfield-Hall TITLE COMPANY NAME Benbrook .7-560-2916 11/2/92 SIGNATURE DATE The insurance agent hould attach the original copy of the completed form to the flood insurance policy application. The second copy should be supplied to the policyholder and the third copy retained by the agent. The fourth copy is for the local community permit office, if required.

THIS FORM MAY BE REPRODUCED. FOR OPTIONAL COMMUNITY USE: Is the reference level also the lowest floor under the community's floodplain management ordinances?

593-117 (6/87)

FEMA FORM 81.31 (10/87)

NO If NO the elevation of the lowest floor is

## FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

## **ELEVATION CERTIFICATE**

O.M.B. No. 3067-0077 Expires July 31, 2002

Important: Read the i			
SECTION A - PROPERT	Y OWNER INFORMATIO	N	For Insurance Company Use:
UILDING OWNER'S NAME			Policy Number
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No 4100 PLANTATION DRIVE	) OR P.O. ROUTE AND BOX	NO.	Company NAIC Number
CITY BenBrowk	STATE 74		ZIP CODE 76116
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number,	Legal Description, etc.)		70116
LOT 8, BLOCK 3 PLANTATION ESTATES 2ND F	liny		
BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc.	Use Comments section if ne	cessary.)	
Residential Horizontal Datum			
( ##° - ##' - ##.##" or ##.####°)     <b>½</b>   NAD 1927     NAD 1		PS (Type): GS Quad Map	1 1 Othor
, 1		GS Quad Map	Other
SECTION B - FLOOD INSURAN	CE RATE MAP (FIRM) IN	FORMATION	
B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER B2. COUN	TY NAME	.	3. STATE
BenBrook, CiTY OF TARAGE			TX
		88. FLOOD	B9. BASE FLOOD ELEVATION(S)
NUMBER DATE EFFEC		ZONE(S)	(Zone AO, use depth of flooding)
		AE	675
B10. Indicate the source of the Base Flood Elevation (BFE) data or b	ase flood depth entered in	B9.	
FIS Profile FIRM Community Determin			
B11. Indicate the elevation datum used for the BFE in B9: X NGVD	1929     NAVD 1988	Other (Des	scribe):
B12. Is the building located in a Coastal Barrier Resources System (	CBRS) area or Otherwise F	Protected Area	(OPA)?   I Yes IXI No
Designation Date:	,		
SECTION C - BUILDING ELEVATION	N INCORNATION (CURV	EV DEOLUDE	D
E1. Building elevations are based on: LiConstruction Drawings*		***************************************	
	Building Under Cor	struction*	Finished Construction
*A new Elevation Certificate will be required when construction o	the building is complete.		
C2. Building Diagram Number (Select the building diagram mo	st similar to the building to	r which this c	ertificate is being completed - see
pages 6 and 7. If no diagram accurately represents the building,	provide a sketch or photog	graph.)	
C3. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V	/ (WILL BEE), AR, AR/A, AI	R/AE, AR/A1-/	A30, AR/AH, AR/AO
Complete Items C3a-i below according to the building diagram space the datum used for the BFE in Section B, convert the datum to the	pecified in Item C2. State to	ne datum use	d. If the datum is different from
Calculation . He ather space provided or the Comments area of Sc	at used for the BPE, Show	neid measure	ements and datum conversion
calculation. Use the space provided or the Comments area of Se	ection of Section 6, as a	ppropriate, to	document the datum conversion.
	olovotion reference made	niand dancer	on the FIRM?   Yes   No
☐ a) Top of bottom floor (including basement or enclosure)		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	on the FIRM?    Yes    No
□ b) Top of next higher floor			
☐ c) Bottom of lowest horizontal structural member (V zones on		t.(m) %	86 18 2
☐ d) Attached garage (top of slab)	674 . 38 1	(m) 5 m	Comment of the second
e) Lowest elevation of machinery and/or equipment	<u> </u>	. ш «	
servicing the building	•	fr(m) ager	
☐ f) Lowest adjacent grade (LAG)		(m) T. (m) T. Signature,	The state of the s
☐ g) Highest adjacent grade (HAG)	(74.41		
h) No. of permanent openings (flood vents) within 1 ft. above a	adiacent grade	t.(m)	136 W 576
i) Total area of all permanent openings (flood vents) in C3h	sq. in. (sq.	cm)	200
SECTION D - SURVEYOR, ENGIN			
This certification is to be signed and sealed by a land surveyor, engi	neer, or architect authorize	ed by law to ce	ertify elevation information.
I certify that the information in Sections A, B, and C on this certificate	represents my best effort	s to interpret t	he data available.
I understand that any false statement may be punishable by fine or in CERTIFIER'S NAME			on 1001.
SUSAN L. STEWART	LICENSE 54	NUMBER	
TLE	COMPANY NAME	//	
ADDRESS 1	CITY JUTON SPUE	STATE	ZIP CODE /
_ 155 St. LOUPS HUE	FORT WORTH	7Y	06104
SIGNATURE Stewart	DATE 4.2.06	TELEPHON	5-3625
	1 1.04	011 72	3-24-CJ

SECTION E - BUILDING ELEVATION I  For Zone AO and Zone A (without BFE), con information for a LOMA or LOMR-F, Section  E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accur (check one) the bottom floor (including back) (check one) the highest adjacent grade.  E3. For Building Diagrams 6-8 with openings     ft.(m)       in.(cm) above the highest AO only: If no flood depth numerical comments in the section of t	STATE  TX  RVEYOR, ENGINEER, OR ARCH e for (1) community official, (2) ins  INFORMATION (SURVEY NOT I  mplete Items E1 through E4. If the C must be completed. It the building diagram most similar eately represents the building, pro- sement or enclosure) of the building	ROUTE AND BOX NO.  ZIP CODE 761/6  ITECT CERTIFICATION (CON surance agent/company, and (3)  REQUIRED) FOR ZONE AO A  REQUIRED FOR ZONE AO A  RECURS OF THE SECOND IN THE S	building owner.  Check here if attachment  DO ZONE A (WITHOUT BFE)
SECTION E - BUILDING ELEVATION  COPY both sides of this Elevation Certificate  COMMENTS  SECTION B - BUILDING ELEVATION  For Zone AO and Zone A (without BFE), continformation for a LOMA or LOMR-F, Section  E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accurred in the contine conti	STATE  TX  RVEYOR, ENGINEER, OR ARCH e for (1) community official, (2) ins  INFORMATION (SURVEY NOT I  mplete Items E1 through E4. If the C must be completed. It the building diagram most similar eately represents the building, pro- sement or enclosure) of the building	ROUTE AND BOX NO.  ZIP CODE 761/6  ITECT CERTIFICATION (CON surance agent/company, and (3)  REQUIRED) FOR ZONE AO A  REQUIRED FOR ZONE AO A  RECURS OF THE SECOND IN THE S	Policy Number  Company NAIC Number  TINUED) ) building owner.  Check here if attachmen ND ZONE A (WITHOUT BFE)
SECTION D - SUR  Copy both sides of this Elevation Certificate  COMMENTS  SECTION E - BUILDING ELEVATION I  For Zone AO and Zone A (without BFE), con information for a LOMA or LOMR-F, Section  E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accurred in the company of the bottom floor (including base) (check one) the highest adjacent grade.  E3. For Building Diagrams 6-8 with openings     ft.(m)     lin.(cm) above the highest. For Zone AO only: If no flood depth numerical including depth n	INFORMATION (SURVEY NOT Implete Items E1 through E4. If the C must be completed. It the building diagram most similar rately represents the building, prosement or enclosure) of the building.	761/6 ITECT CERTIFICATION (CON surance agent/company, and (3) REQUIRED) FOR ZONE AO A se Elevation Certificate is intend on to the building for which this of	TINUED) ) building owner.     Check here if attachmen ND ZONE A (WITHOUT BFE)
SECTION D - SUR Copy both sides of this Elevation Certificate COMMENTS  SECTION E - BUILDING ELEVATION I For Zone AO and Zone A (without BFE), con information for a LOMA or LOMR-F, Section E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accur E2. The top of the bottom floor (including bas (check one) the highest adjacent grade. E3. For Building Diagrams 6-8 with openings [   ft.(m)     lin.(cm) above the hi E4. For Zone AO only: If no flood depth num	INFORMATION (SURVEY NOT Implete Items E1 through E4. If the C must be completed. It the building diagram most similar rately represents the building, prosement or enclosure) of the building.	761/6 ITECT CERTIFICATION (CON surance agent/company, and (3) REQUIRED) FOR ZONE AO A se Elevation Certificate is intend on to the building for which this of	TINUED) ) building owner.     Check here if attachmen ND ZONE A (WITHOUT BFE)
SECTION D - SUR Copy both sides of this Elevation Certificate COMMENTS  SECTION E - BUILDING ELEVATION I For Zone AO and Zone A (without BFE), con information for a LOMA or LOMR-F, Section E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accur E2. The top of the bottom floor (including bas (check one) the highest adjacent grade. E3. For Building Diagrams 6-8 with openings [   ft.(m)     lin.(cm) above the hi E4. For Zone AO only: If no flood depth num	INFORMATION (SURVEY NOT Implete Items E1 through E4. If the C must be completed. It the building diagram most similar rately represents the building, prosement or enclosure) of the building.	REQUIRED) FOR ZONE AO A E Elevation Certificate is intended to the building for which this certificate the building for which this certificate.	building owner.  Check here if attachmen  ND ZONE A (WITHOUT BFE)
SECTION E - BUILDING ELEVATION I For Zone AO and Zone A (without BFE), continuous for a LOMA or LOMR-F, Section E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accurately continuous for a Loma floor (including base) (check one) the highest adjacent grade. E3. For Building Diagrams 6-8 with openings     ft.(m)     lin.(cm) above the highest Zone AO only: If no flood depth numerical control of the sides of the process of the sides of the process of the sides of the process	INFORMATION (SURVEY NOT Implete Items E1 through E4. If the C must be completed. It the building diagram most similar rately represents the building, prosement or enclosure) of the building.	REQUIRED) FOR ZONE AO A e Elevation Certificate is intended	building owner.  Check here if attachmen  ND ZONE A (WITHOUT BFE)
SECTION E - BUILDING ELEVATION   For Zone AO and Zone A (without BFE), con information for a LOMA or LOMR-F, Section   E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accur   E2. The top of the bottom floor (including base (check one) the highest adjacent grade.   E3. For Building Diagrams 6-8 with openings     ft.(m)     lin.(cm) above the highest Zone AO only: If no flood depth numerical sections	INFORMATION (SURVEY NOT In the property of the property of the property of the building diagram most similar the building diagram to the building, property of the building of the building.	REQUIRED) FOR ZONE AO A e Elevation Certificate is intend in to the building for which this o	Check here if attachmen ND ZONE A (WITHOUT BFE)
For Zone AO and Zone A (without BFE), con information for a LOMA or LOMR-F, Section E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accurs E2. The top of the bottom floor (including back) (check one) the highest adjacent grade. E3. For Building Diagrams 6-8 with openings     ft.(m)       lin.(cm) above the him E4. For Zone AO only: If no flood depth numbers	mplete Items E1 through E4. If the C must be completed. It the building diagram most similar rately represents the building, prosement or enclosure) of the building.	e Elevation Certificate is intend	ND ZONE A (WITHOUT BFE)
For Zone AO and Zone A (without BFE), confinemation for a LOMA or LOMR-F, Section E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accurate. The top of the bottom floor (including base (check one) the highest adjacent grade. E3. For Building Diagrams 6-8 with openings     ft.(m)     lin.(cm) above the highest Zone AO only: If no flood depth number 1.	mplete Items E1 through E4. If the C must be completed. It the building diagram most similar rately represents the building, prosement or enclosure) of the building.	e Elevation Certificate is intend	ND ZONE A (WITHOUT BFE)
For Zone AO and Zone A (without BFE), con information for a LOMA or LOMR-F, Section E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accurs E2. The top of the bottom floor (including back) (check one) the highest adjacent grade. E3. For Building Diagrams 6-8 with openings     ft.(m)   _   lin.(cm) above the him E4. For Zone AO only: If no flood depth num	mplete Items E1 through E4. If the C must be completed. It the building diagram most similar rately represents the building, prosement or enclosure) of the building.	e Elevation Certificate is intend	ND ZONE A (WITHOUT BFE)
For Zone AO and Zone A (without BFE), confinemation for a LOMA or LOMR-F, Section E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accurate. The top of the bottom floor (including base (check one) the highest adjacent grade. E3. For Building Diagrams 6-8 with openings     ft.(m)     lin.(cm) above the highest Zone AO only: If no flood depth number 1.	mplete Items E1 through E4. If the C must be completed. It the building diagram most similar rately represents the building, prosement or enclosure) of the building.	e Elevation Certificate is intend	ND ZONE A (WITHOUT BFE)
For Zone AO and Zone A (without BFE), conformation for a LOMA or LOMR-F, Section E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accure E2. The top of the bottom floor (including back) (check one) the highest adjacent grade. E3. For Building Diagrams 6-8 with openings     ft.(m)     lin.(cm) above the highest Zone AO only: If no flood depth num	mplete Items E1 through E4. If the C must be completed. It the building diagram most similar rately represents the building, prosement or enclosure) of the building.	e Elevation Certificate is intend	ND ZONE A (WITHOUT BFE)
For Zone AO and Zone A (without BFE), confinemation for a LOMA or LOMR-F, Section E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accurate. The top of the bottom floor (including base (check one) the highest adjacent grade. E3. For Building Diagrams 6-8 with openings     ft.(m)     lin.(cm) above the highest Zone AO only: If no flood depth number 1.	mplete Items E1 through E4. If the C must be completed. It the building diagram most similar rately represents the building, prosement or enclosure) of the building.	e Elevation Certificate is intend	
information for a LOMA or LOMR-F, Section E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accur E2. The top of the bottom floor (including bas (check one) the highest adjacent grade. E3. For Building Diagrams 6-8 with openings  ft.(m) lin.(cm) above the hi E4. For Zone AO only: If no flood depth num	C must be completed.  It the building diagram most similar  rately represents the building, proving sement or enclosure) of the building.	r to the building for which this o	ed for use as supporting
E1. Building Diagram Number (Select see pages 6 and 7. If no diagram accurs E2. The top of the bottom floor (including base (check one) the highest adjacent grade.  E3. For Building Diagrams 6-8 with openings   ft.(m)     lin.(cm) above the highest Zone AO only: If no flood depth num	t the building diagram most similar rately represents the building, pro- sement or enclosure) of the build	r to the building for which this o	
see pages 6 and 7. If no diagram accurs  E2. The top of the bottom floor (including bar	ately represents the building, pro- sement or enclosure) of the buildi		certificate is being completed -
(check one) the highest adjacent grade. E3. For Building Diagrams 6-8 with openings  [	sement or enclosure) of the buildi	vide a sketch or photograph.)	
E3. For Building Diagrams 6-8 with openings		ng is ft.(m)lin	ı.(cm)    above or    below
L   ft.(m)     lin.(cm) above the hi		an an alouated Bound 1 - 10 - 1	N =#46 = 491.0
E4. For Zone AO only: If no flood depth num		or or elevated floor (elevation b	o) of the building is
All and the transfer of the second se		bottom floor elevated in accord	lance with the community's
floodplain management ordinance?	Yes No Unknown. T	he local official must certify this	s information in Section G.
SECTION F - PRO	PERTY OWNER (OR OWNER'S	REPRESENTATIVE) CERTIF	ICATION
The property owner or owner's authorized re	epresentative who completes Sec	ctions A, B, and E for Zone A (v	vithout a FEMA-issued or
community-issued BFE) or Zone AO must s	sign here.		
PROPERTY OWNER'S OR OWNER'S AUTHOR	RIZED REPRESENTATIVE'S NIANAE		
PRESS	CITY	STATE	ZIP CODE
SIGNATURE	DATE	TELEPHO	ONE
COMMENTS		· · · · · · · · · · · · · · · · · · ·	
			Check here if attachment
SE	ECTION G - COMMUNITY INFOR	RMATION (OPTIONAL)	
he local official who is authorized by law or	ordinance to administer the comn	nunity's floodplain managemen	t ordinance can complete
ections A, B, C (or E), and G of this Elevation	on Certificate. Complete the appl	icable item(s) and sign below.	
i1 The information in Section C was taken	ken from other documentation tha	t has been signed and emboss	ed by a licensed surveyor,
engineer, or architect who is authoric elevation data in the Comments are	zeu by state or local law to certify a below )	elevation information. (Indicat	e the source and date of the
62. A community official completed Sect		ne A (without a FEMA-issued or	community-issued BFE) or
Zone AO.			
3. LiThe following information (Items G4-	G9) is provided for community flo	odplain management purposes	<b>3.</b>
	TE PERMIT ISSUED	G6. DATE CERTIFICATE OF	COMPLIANCE/OCCUPANCY
7 71:	1	ISSUED	
7. This permit has been issued for:         N 8. Elevation of as-built lowest floor (includin	New Construction Substant		A (-) D-1
69. BFE or (in Zone AO) depth of flooding at	- •	·	_ ft.(m) Datum:
LOCAL OFFICIAL'S NAME			ft.(m) Datum:
	-	TLE	
COMMENTAL INITION NAME	· 1	LEPHONE	:
COMMICIALLY MANAGE	D	ATE	
COMMUNITY NAME SIGNATURE			
SIGNATURE			
		** *** ***	
SIGNATURE			· · · · · · · · · · · · · · · · · · ·